Pioneer Childcare

Illness and Accidents Policy

At Pioneer Childcare we endeavour to deal promptly and effectively with any illnesses or injuries that may occur while children are in our care. We take all practical steps to keep staff and children safe from communicable diseases.

All parents or carers must complete the relevant **Medical Information** on our online booking system when their child joins Pioneer, giving permission for emergency medical treatment for their child in the event of a serious accident or illness. Any changes in a child's medical details must be updated by the parent via our booking system and shared with the Club Manager as soon as possible.

We will record all accidents or illnesses, together with any treatment given, on our **Incident Forms** or **Accident Forms** as appropriate, which the parent/carer will be asked to sign when they collect their child.

Pioneer Childcare cannot accept children who are ill. If any children are ill when they first arrive at club, we will immediately notify their parents/carers to come and collect them or ask parents/carers to take their children home, if they are unwell at drop-off. Any children who have been ill should not return to club until they have fully recovered, or until after the minimum exclusion period has expired (see table at the end of this policy).

First aid

The Club's designated First Aider is the Club Manager. The designated First Aider has a current first aid certificate and has attended a 12-hour paediatric first aid course. To ensure that there is a qualified first aider present at every session of the club, the majority of staff will also receive first aid training.

The location of the first aid box and a list of qualified first aiders are clearly displayed at the club. The designated First Aider regularly checks the contents of the first aid box to ensure that they are up to date, appropriate for children and comply with the Health and Safety (First Aid) Regulations 1981.

The manager will ensure that a first aid kit is taken on all outings and that at least one member of staff on the outing holds a current paediatric first aid certificate. The manager will also ensure that a portable first aid kit is available for activities (including break times) taking place outside.

Procedure for a minor injury or illness

- The first aider at the session will decide upon the appropriate action to take if a child becomes ill or suffers a minor injury.
- If a child becomes ill during a session, the parent or carer will be asked to collect the child as soon as possible. The child will be kept comfortable and will be closely supervised while awaiting collection.
- If a child complains of illness which does not impair their overall wellbeing, the child will be monitored for the rest of the session and the parent or carer will be notified when the child is collected.
- If a child suffers a minor injury, first aid will be administered, and the child will be monitored for the remainder of the session. If necessary, the child's parent will be asked to collect the child as soon as possible.
- If a child's condition deteriorates, the Club Manager will escalate the concern and follow our major injury/illness procedure.

Procedure for a major injury or serious illness

- In the event of a child becoming seriously ill or suffering a major injury, the first aider at the session will decide whether the child needs to go straight to hospital or whether it is safe to wait for their parent/carer to arrive.
- If a child needs to go straight to hospital, we will call an ambulance and a member of staff will go to the hospital with the child and will consent to any necessary treatment (as approved by the parents/carers). The Club Manager will make sure that any medical details, including a Health Management Plan, (if there is one in place for the child) accompany the child to the hospital.
- We will contact the child's parents/carers with all urgency, and if they are unavailable, we will call the other emergency contacts that we have on file for the child.
- After a major accident or incident, the manager and staff will review the events and consider whether any changes need to be made to the club's policies or procedures.
- We will notify Ofsted in the event of any serious accident or injury to a child in our care.
- We will notify HSE under RIDDOR in the case of a death or major injury on the premises (e.g., broken limb, amputation, dislocation, see the HSE website for a full list of reportable injuries).
- The Club Manager should make their line manager aware of the situation as soon as possible, especially if they are required to accompany a child to hospital.

Communicable diseases and conditions

If a case of head lice is found at the club, the child's parents/carers will be discreetly informed when they collect the child. Other parents will be warned to check their own children for head lice, but care will be taken not to identify the child affected.

If an infectious or communicable disease is detected on the club's premises, we will inform parents/carers and staff as soon as possible. The list of infectious or communicable diseases is attached to this policy.

If there is an incident of food poisoning affecting two or more children looked after at club the Director of Childcare will inform Ofsted.

If there is an outbreak of a notifiable disease at the club, we will inform the local Health Protection Team, HSE under RIDDOR (if appropriate), and Ofsted and follow any advice given.

Useful contacts

Health Protection Unit:	08458 942944
Ofsted:	0300 123 1231
RIDDOR Incident Contact Unit:	0845 300 99 23

This policy was adopted by:	Pioneer Childcare Ltd	Date: 25 th January 2023
To be reviewed:	24 th January 2024	Signed: J. Wilkins

Written in accordance with the EYFS welfare requirements: *Safeguarding and promoting children's welfare* and *Suitable premises, environment and equipment.*

Minimum exclusion periods for infectious conditions and diseases
--

Chicken Pox5 days from first appearance of rashCold SoresNone. Avoid contact with soresConjunctivitis24 hours or until the discharge from eyes has stoppedDiphtheria*Until certified well by doctorDiarhoea and Vomiting48 hours after symptoms clearedGlandular FeverUntil fully recoveredGastro-enteritis, E. Coli, Food Poisoning, Salmonella and DysenteryUntil certified well by doctorHand, Foot and Mouth diseaseWhile rash and ulcers are presentHepatitis A*Until certified wellHepatitis B* and C*NoneHigh temperature24 hoursHiV/AIDSNoneImpetigoUntil recoveredMenagitis*Until recoveredMoluscum ContagiosumNoneMumps*S days from onset of rashMumps*S days from onset of sollen glandsPediculosis (lice)Until recoveredNumps*S days from onset of says from commencing antibiotic treatmentPolionyelitisUntil certified well by doctorRingworm of scalpUntil certified well by doctorRingworm of scalpUntil treatment has been givenPoliculosis (lice)Until treatment has been givenPolionyelitisUntil creatified well by doctorSalaps from onset of rashSalays from onset of rashScalesUntil treatment has been givenScalesUntil treatment has been givenScalesUntil treatment has been givenScalesUntil treatment has been givenScalesUntil treatment has been	Disease/Condition	Exclusion period
Conjunctivitis24 hours or until the discharge from eyes has stoppedDiphtheria*Until certified well by doctorDiarrhoea and Vomiting48 hours after symptoms clearedGlandular FeverUntil fully recoveredGastro-enteritis, E. Coli, Food Poisoning, Salmonella and DysenteryUntil certified well by doctorHand, Foot and Mouth diseaseWhile rash and ulcers are presentHepatitis A*Until certified wellHepatitis A*Until certified wellHepatitis A*Until certified wellHy/AIDSNoneHily/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMoningitis*Until recoveredMoluscum ContagiosumNoneMumps*5 days from onset of rashMeningitis*Until treatment has been givenPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil curedRingworm of scalpUntil treatment has been givenRubela*5 days from onset of rashScabiesUntil treatment has been givenScabiesUntil treatment has been givenScabiesS days from the start of the treatmentScabiesNoneStays from start of the treatmentScabiesNoneStays from the start of the treatmentStays from the start of the treatmentStays from the start of the treatmentStays from the start of the treatme	Chicken Pox	5 days from first appearance of rash
Diphtheria*Until certified well by doctorDiarrhoea and Vomiting48 hours after symptoms clearedGlandular FeverUntil fully recoveredGastro-enteritis, E. Coli, Food Poisoning, Salmonella and DysenteryUntil certified well by doctorHand, Foot and Mouth diseaseWhile rash and ulcers are presentHepatitis A*Until certified wellHepatitis B* and C*NoneHigh temperature24 hoursHIV/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*5 days from onset of rashMeningitis*Until recoveredMumps*5 days from onset of swollen glandsPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPollonyelitisUntil certified well by doctorRingworm of scalpUntil creatment has been givenPollonyelitisUntil creatment has been givenScabiesUntil treatment has been givenStays from onset of rashScabiesScale fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneThreadwormsNoneTuberculosis*Until certified well by doctorTyphold*, Paratyphoid	Cold Sores	None. Avoid contact with sores
Diarhoea and Vomiting48 hours after symptoms clearedGlandular FeverUntil fully recoveredGastro-enteritits, E. Coli, Food Poisoning, Salmonella and DysenteryUntil certified well by doctorHand, Foot and Mouth diseaseWhile rash and ulcers are presentHepatitis A*Until certified wellHepatitis B* and C*NoneHigh temperature24 hoursHIV/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*5 days from onset of rashMeinigitis*Until recoveredMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPollomyelitisUntil certified well by doctorRingworm of scalpUntil curedRingworm of scalpUntil treatment has been givenScabeisUntil treatment has been givenScalete fever*5 days from onset of rashScalete fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Conjunctivitis	24 hours or until the discharge from eyes has stopped
Glandular FeverUntil fully recoveredGastro-enteritis, E. Coli, Food Poisoning, Salmonella and DysenteryUntil certified well by doctorHand, Foot and Mouth diseaseWhile rash and ulcers are presentHepatitis A*Until certified wellHepatitis B* and C*NoneHigh temperature24 hoursHIV/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*S days from onset of rashMoungs*S days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of the bodyUntil treatment has been givenScalesUntil treatment has been givenScalesUntil certified well by doctorRingworm of the bodyUntil treatment has been givenScalesUntil treatment has been givenStre	Diphtheria*	Until certified well by doctor
Castro-enteritis, E. Coli, Food Poisoning, Salmonella and DysenteryUntil certified well by doctorHand, Foot and Mouth diseaseWhile rash and ulcers are presentHepatitis A*Until certified wellHepatitis B* and C*NoneHigh temperature24 hoursHIV/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*5 days from onset of rashMoluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of the bodyUntil treatment has been givenScalesUntil treatment has been givenScalesS days from onset of rashScalesUntil certified well by doctorRingworm of the bodyUntil treatment has been givenScalesUntil certified well by doctorSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentSlapped Check, Fifth DiseaseNoneTorsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Diarrhoea and Vomiting	48 hours after symptoms cleared
Salmonella and DysenteryHand, Foot and Mouth diseaseWhile rash and ulcers are presentHepatitis A*Until certified wellHepatitis B* and C*NoneHigh temperature24 hoursHIV/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*5 days from onset of rashMeiningitis*Until recoveredMolluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPoliomyelitisUntil certified well by doctorRingworm of scalpUntil curedRingworm of scalpUntil curedRubella* (German Measles)5 days from onset of rashScalesUntil curedStalpped Check, Fifth DiseaseNoneStapped Check, Fifth DiseaseNoneTreadwormsNoneTonallitisNoneTonallitisNoneTonallitisNoneTonallitisNoneTonallitisNoneTonallitisNoneTonallitisNoneTonallitisNoneTonallitisNoneTonallitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Glandular Fever	Until fully recovered
Hepatitis A*Until certified wellHepatitis B* and C*NoneHigh temperature24 hoursHIV/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*5 days from onset of rashMeiningitis*Until recoveredMollscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPetrussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil cretified well by doctorRingworm of scalpUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScalesUntil treatment has been givenScalesUntil curedSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	-	Until certified well by doctor
Hepatitis B* and C*NoneHigh temperature24 hoursHIV/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*5 days from onset of rashMelnigitis*Until recoveredMolluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPetrussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPollomyelitisUntil certified well by doctorRingworm of scalpUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Hand, Foot and Mouth disease	While rash and ulcers are present
High temperature24 hoursHIV/AIDSNoneImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*5 days from onset of rashMeningitis*Until recoveredMolluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of the bodyUntil treatment has been givenScabiesUntil treatment has been givenScabiesUntil treatment has been givenScabiesUntil certified well by doctorStapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTuberculosis*Until certified well by doctor	Hepatitis A*	Until certified well
Indext of the second	Hepatitis B* and C*	None
ImpetigoUntil the skin has healedInfluenzaUntil recoveredMeasles*5 days from onset of rashMeningitis*Until recoveredMolluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScalesUntil treatment has been givenScalesUntil treatment has been givenStapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTuberculosis*Until certified well by doctor	High temperature	24 hours
InfluenzaUntil recoveredMeasles*5 days from onset of rashMeningitis*Until recoveredMolluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil curedRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScalet fever*5 days from onset of rashSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	HIV/AIDS	None
Measles*5 days from onset of rashMeningitis*Until recoveredMolluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScarlet fever*5 days from onset of the treatmentSlapped Check, Fifth DiseaseNoneThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Impetigo	Until the skin has healed
Meningitis*Until recoveredMolluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil curedRubella* (German Measles)5 days from start of the treatmentScabiesUntil treatment has been givenScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTuberculosis*Until certified well by doctorTuberculosis*Until certified well by doctor	Influenza	Until recovered
Molluscum ContagiosumNoneMumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil curedRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTuberculosis*Until certified well by doctor	Measles*	5 days from onset of rash
Mumps*5 days from onset of swollen glandsPediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil curedRingworm of the bodyUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScabiesUntil treatment has been givenSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentTonsillitisNoneTuberculosis*Until certified well by doctorTuberculosis*Until certified well by doctor	Meningitis*	Until recovered
Pediculosis (lice)Until treatment has been givenPertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil curedRingworm of the bodyUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScabiesUntil treatment has been givenScaped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctor	Molluscum Contagiosum	None
Pertussis* (Whooping cough)21 days from the onset or 5 days from commencing antibiotic treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil curedRingworm of the bodyUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Mumps*	5 days from onset of swollen glands
treatmentPoliomyelitisUntil certified well by doctorRingworm of scalpUntil curedRingworm of the bodyUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Pediculosis (lice)	Until treatment has been given
Ringworm of scalpUntil curedRingworm of the bodyUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Pertussis* (Whooping cough)	
Ringworm of the bodyUntil treatment has been givenRubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Poliomyelitis	Until certified well by doctor
Rubella* (German Measles)5 days from onset of rashScabiesUntil treatment has been givenScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Ringworm of scalp	Until cured
ScablesUntil treatment has been givenScarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Ringworm of the body	Until treatment has been given
Scarlet fever*5 days from start of the treatmentSlapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Rubella* (German Measles)	5 days from onset of rash
Slapped Check, Fifth DiseaseNoneStreptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Scabies	Until treatment has been given
Streptococcal infection of the throat3 days from the start of the treatmentThreadwormsNoneTonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Scarlet fever*	5 days from start of the treatment
Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor Typhoid*, Paratyphoid* Until certified well by doctor	Slapped Check, Fifth Disease	None
TonsillitisNoneTuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Streptococcal infection of the throat	3 days from the start of the treatment
Tuberculosis*Until certified well by doctorTyphoid*, Paratyphoid*Until certified well by doctor	Threadworms	None
Typhoid*, Paratyphoid* Until certified well by doctor	Tonsillitis	None
	Tuberculosis*	Until certified well by doctor
Warts (including Verruca) None. Verruca sufferers should keep feet covered	Typhoid*, Paratyphoid*	Until certified well by doctor
	Warts (including Verruca)	None. Verruca sufferers should keep feet covered

* Denotes a notifiable disease.